

# SUPER

# New horizons, no boundaries

Leave the known road behind and venture into the wild with this spectacular two-wheeler. A true scrambler, 100% electric, that accompanies you on your wildest journeys.





110<sub>Km</sub> Range with double battery



2.5 KW







110<sub>Km</sub> Range with double battery



5000<sub>Cd</sub> Low beam brightness

**LED direction indicators**Circular cigar shape.

Ultrasonic continuous

welding technology

meets EU standards. Waterproof and moisture-

proof, ensures high light

26000<sub>Cd</sub> High beam brightness

# PROTECTED HEART

Optional double battery, removable, transportable, convenient to charge wherever you want.

All sensitive components are protected by a highly durable and waterproof aluminum cover: TC Wanderer is not afraid of mud and water.



60<sub>V</sub>32<sub>Ah</sub>
Battery capacity

3years 1

1500+ Cycle

3.5<sub>h</sub>
Charging time single battery

# **HIGH POWER ENGINE**

The high-performance 2500 W engine provides an impressive 180 Nm of torque and allows TC Wanderer to reach easily and quickly reach the maximum speed of 75 km/h.



170<sub>Nm</sub> Peak torque

14° Climbing angle

3500<sub>W</sub> Power peak



## **SNAPPY START**

Snappy start and linear torque throughout the entire output range:

FOC 3.0 ECU gives 16%+ power input.





#### TECHNICAL INFORMATION Homologation L1e-B, L3e-A1 (comparable to a 50cc, 125cc.) Motor SUPER SOCO Weight 103 ka Rated power 2500 W L\*W\*H 1984 mm\*788 mm\*1097 mm 3500 W Wheelbase 1322 mm Maximum power **Battery model** Polymer lithium battery **Ground Clearance** 173 mm 60 V/32 Ah (Optional with double batteries) Seat Height (R point) 927 mm **Battery capacity** Charging time 3.5 h (single battery) Rims Fr. 2.5-17 / Rr. 3.5-17 Charging power 600 W Tyres Fr. 100/80-17 | Rr. 120/80-17 **Autonomy** 110 km\* (double batteries) Suspension Hydraulic damping system Max speed L1e-B 45 km/h | L3e-A1 75 km/h **Brakes CBS** Vintage Green, Khaki Yellow, Stormy Grey, 14° Climbing angle Colors

Warning: The photos and technical Information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Vmoto International Among the International and therefore some production and are purely for illustration and reference purposes, and are therefore to expend the International Among the available in each country. Wmoto reserves the right to make changes and improvements to any product without obligation of prior notice. The products are contained in the pertinent owner's manuals. The products are not definitive versions and are therefore subject to significant changes at Vmotor's discretion without prior notice. The photographs published in this catalogue show only professional rights under controlled street conditions. Do not attend to make such changes at graphics and talogue show only professional rights under controlled street conditions. Do not attend to make such changes at graphics and talogue show only professional rights under controlled street conditions. Do not attend to make such changes at graphics and talogue show only professional rights under controlled street conditions. Do not attend to make such changes at graphics and talogue show only professional rights under controlled street conditions. Do not attend to make such a such as a

## **Vmoto Limited**

Level 48, 152-158 St Georges Terrace Perth Western Australia 6000, Australia

### Vmoto Soco International

15, Zhongxing East Road - Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 - Jiangsu Province, China

## **Vmoto Europe**

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands



Official Electric Scooter Supplier

## Vmoto Soco Italy

Viale Fratelli Casiraghi, 427 20099 S. San Giovanni Milan District, Italy





<sup>\*</sup>WMTC Stage 3